


FIG. 1






FIG. 2

20090331-1299




FIG. 3

400— DEVICE 30 SENDS OFF-HOOK SIGNAL TO RU 80

401— RU 80 SENDS DIAL TONE TO DEVICE 30 INDICATING THAT RU 80 IS READY TO RECEIVE INFORMATION

402— DEVICE 30 SENDS CALL SET UP QUERY SIGNAL TO RU 80

403— RU 80 SENDS HOLD TRANSMISSION MESSAGE TO DEVICE 30

404— RU 80 FORWARDS CALL SET UP QUERY SIGNAL TO BS 70

405— BS 70 PERFORMS DATABASE LOOK UP TO IDENTIFY THE CALLING NUMBER

406— BS 70 PERFORMS DATABASE LOOKUP TO IDENTIFY THE DESTINATION SUBSCRIBER SERVICE

407— BS 70 DETERMINES ROUTING PATH TO DESTINATION

FIG. 4




FIG. 5

2025 RELEASE UNDER E.O. 14176




FIG. 6

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.